Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Menu A/S

Supplier's address: PD, Aarhusgade 130, 2150 Nordhavn -, DK

Model identifier: 4863349 Carrie Lamp

Type of light source:


Lighting technology used:	LED	Non-directional or directional:	DLS		
Light source cap-type	PCB Board (Gear)				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	Yes	Dimmable:	Yes		
Product parameters					

Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
	mption in on- 100 h), rounded st integer	2	Energy efficiency class	G		
indicating if it r in a sphere (3	us flux (фuse), refers to the flux 60º), in a wide in a narrow cone	155 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700		
On-mode p expressed in W	oower (P _{on}),	2,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00		
for CLS, expre	ndby power (P _{net}) ssed in W and second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	79		
Outer dimensions without	Height	4	Spectral power	See image		
	Width	100	distribution in the	in last page		
	Depth	100	1	Page 1/3		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load					
Claim of equivalent power ^(a)	-	lf yes, equivalent power (W)	-				
		Chromaticity coordinates (x and y)	0,462 0,411				
Parameters for directional light sources:							
Peak luminous intensity (cd)	91	Beam angle in degrees, or the range of beam angles that can be set	160				
Parameters for LED and OLED light sources:							
R9 colour rendering index value	12	Survival factor	0,00				
the lumen maintenance factor	0,85						

(a)'-' : not applicable;

(b)_{'-'} : not applicable;



Color Parameters:

 $\label{eq:chromaticity coordinate:x=0.4896} y=0.4121/u\,{}^{\prime}=\!0.2812\ v\,{}^{\prime}=\!0.5324$