Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: Customer Care, Østergade 36-38, 1100 Copenhagen K, DK

Model identifier: Beam Table Lamp

_		•	••			
11/1	20	Λt	$\mathbf{H}\boldsymbol{\alpha}$	nt	$c \cap$	urca.
1 7 1	JE	UI.	IIE	116	30	urce:

Lighting technology used:	LED	Non-directional or	DLS
		directional:	
Light source cap-type	AC 100-240V ~		
(or other electric interface)	50/60Hz non re-		
(**************************************	placeable LED		
Mains or non-mains:	NMLS	Connected light	No
		source (CLS):	
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes


Product parameters

Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		10	Energy efficiency class	G		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		428 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 708		
On-mode power (P _{on}), expressed in W		9,2	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	-		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90		
Outer dimen-	Height	262	Spectral power dis-	See image		
sions without	Width	187	tribution in the	in last page		
separate con- trol gear, light-	Depth	85	range 250 nm to 800 nm, at full-load			

ing control parts and non-lighting control parts, if any (millimetre)					
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,458		
		nates (x and y)	0,410		
Parameters for directional light sources:					
Peak luminous intensity (cd)	101	Beam angle in degrees, or the range of beam angles that can be set	125		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	71	Survival factor	-		
the lumen maintenance factor	-				

(a)_{'-'}: not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 01/05/2023



EPREL registration number: 1357225 https://eprel.ec.europa.eu/qr/13

57225

Supplier: Muuto A/S (Manufacturer) **Website:**

Customer care service:

Name: Customer Care Website: www.muuto.com/contact

Email: customercare@muuto.com Phone: 32 96 98 99

Address:

Østergade 36-38 1100 Copenhagen K

Denmark